



# Gewindeeinsätze für Thermoplaste

Einbringung durch Wärme oder Ultraschall  
SERPLAST mit Flachkopf – Typ THC



Gewinde ISO M	Kurzbezeichnung	Länge		T	Kopfstärke S					
		H	D			d	P min	E min	L min	G
M2	40/THC020H040	4	4	5	0.5	3.5	6.5	1	5.2	0.5
M2,5	40/THC025H050	5	4	5	0.5	3.5	6.5	1	5.2	0.5
M3	40/THC030H055	5.5	4.5	6	0.5	4	7	1.1	6.2	0.5
M3,5	40/THC035H060	6	5.5	7	0.5	5	7.5	1.3	7.2	0.5
M4	40/THC040H075	7.5	6	7.5	0.8	5.4	9	1.4	7.7	0.8
M5	40/THC050H080	8	7	8	0.8	6.4	9.5	1.7	8.2	0.8
M6	40/THC060H090	9	8.5	10	0.8	7.9	11	2	10.2	0.8
M8	40/THC080H110	10	10	12	1	9.4	13	2.4	12.2	1
M10	40/THC100H130	13	12	14	1	11.3	15.5	2.9	14.2	1

Manuelles oder halbautomatisches thermisches Setzgerät für  
SERPLAST Gewindeeinsätze auf Anfrage.